

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION OF

Mark B. PEPYS

Serial No. 09/737,544

Filed: December 18, 2000

Title: TREATMENT AND PREVENTION OF TISSUE DAMAGE



Group Art Unit: (Unassigned)

Examiner: (Unassigned)

0400
07-19-01
\$ 3

* * * * *

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In accordance with the duty of disclosure as set forth in 37 C.F.R. §1.56, Applicants hereby submit the following information in conformance with 37 C.F.R. §1.97 and §1.98.

Pursuant to 37 C.F.R. §1.98, a copy of each of the cited documents is enclosed.

Applicants hereby respectfully request that the accompanying Information Disclosure Statement be considered and made of record in the above-identified Application. This Information Disclosure Statement is intended to be in full compliance with the rules, but should the Examiner find any part of its required content to have been omitted, prompt notice to that effect is earnestly solicited, along with additional time under Rule 97(f), to enable Applicant to comply fully.


Consideration of the enclosed prior art references is respectfully requested. The Examiner is further respectfully requested to return of a copy of the enclosed Form PTO-1449 with the Examiner's initials in the left column.

The examination and allowance of this Application is respectfully requested.

Respectfully submitted,

PILLSBURY WINTHROP L.L.P.

By: _____


Robin L. Teskin, Esq.
Reg. No. 35,030

Pillsbury Winthrop L.L.P.
1600 Tysons Boulevard
McLean, Virginia 22102
(703) 905-2000

Date: July 26, 2001

US Patent Application
CRP binding agents

References

1. Pepys, M.B. and Baltz, M.L. (1983) Acute phase proteins with special reference to C-reactive protein and related proteins (pentaxins) and serum amyloid A protein. *Adv. Immunol.*, **34**: 141-212.
2. Pepys, M.B. (1996) The acute phase response and C-reactive protein. *In: Oxford Textbook of Medicine, Third Ed., Vol. 2* (Weatherall, D.J., Ledingham, J.G.G. and Warrell, D.A., eds.), Oxford University Press, Oxford, pp. 1527-1533.
3. Volanakis, J.E. and Kaplan, M.H. (1971) Specificity of C-reactive protein for choline phosphate residues of pneumococcal C-polysaccharide. *Proc. Soc. Exp. Biol. Med.*, **136**: 612-614.
4. de Beer, F.C., Soutar, A.K., Baltz, M.L., Trayner, I., Feinstein, A. and Pepys, M.B. (1982) Low density and very low density lipoproteins are selectively bound by aggregated C-reactive protein. *J. Exp. Med.*, **156**: 230-242.
5. Pepys, M.B., Rowe, I.F. and Baltz, M.L. (1985) C-reactive protein: binding to lipids and lipoproteins. *Int. Rev. Exp. Pathol.*, **27**: 83-111.
6. Narkates, A.J. and Volanakis, J.E. (1982) C-reactive protein binding specificities: artificial and natural phospholipid bilayers. *Ann. N.Y. Acad. Sci.*, **389**: 172-182.
7. Volanakis, J.E. and Wirtz, K.W.A. (1979) Interaction of C-reactive protein with artificial phosphatidylcholine bilayers. *Nature*, **281**: 155-157.
8. Du Clos, T.W. (1989) C-reactive protein reacts with the U1 small nuclear ribonucleoprotein. *J. Immunol.*, **143**: 2553-2559.
9. Pepys, M.B., Booth, S.E., Tennent, G.A., Butler, P.J.G. and Williams, D.G. (1994) Binding of pentraxins to different nuclear structures: C-reactive protein binds to small nuclear ribonucleoprotein particles, serum amyloid P component binds to chromatin and nucleoli. *Clin. Exp. Immunol.*, **97**: 152-157.
10. Kindmark, C.-O. (1972) *In vitro* binding of human C-reactive protein by some pathogenic bacteria and zymosan. *Clin. Exp. Immunol.*, **11**: 283-289.
11. Fletcher, T.C., White, A. and Baldo, B.A. (1980) Isolation of a phosphorylcholine-containing component from the turbot tapeworm, *Bothriocephalus scorpii* (Muller) and its reaction with C-reactive protein. *Parasite Immunol.*, **2**: 237-248.
12. de Beaufort, A.J., Langermans, J.A.M., Matze-van der Lans, A.M., Hiemstra, P.S., Vossen, J.M. and Van Furth, R. (1997) Difference in binding of killed and live *Streptococcus pneumoniae* serotypes by C-reactive protein. *Scand. J. Immunol.*, **46**: 597-600.

13. Weiser, J.N., Pan, N., McGowan, K.L., Musher, D., Martin, A. and Richards, J. (1998) Phosphorylcholine on the lipopolysaccharide of *Haemophilus influenzae* contributes to persistence in the respiratory tract and sensitivity to serum killing mediated by C-reactive protein. *J. Exp. Med.*, **187**: 631-640.
14. Culley, F.J., Bodman-Smith, K.B., Ferguson, M.A.J., Nikolaev, A.V., Shantilal, N. and Raynes, J.G. (2000) C-reactive protein binds to phosphorylated carbohydrates. *Glycobiology*, **10**: 59-65.
15. Lysenko, E., Richards, J.C., Cox, A.D., Stewart, A., Martin, A., Kapoor, M. and Weiser, J.N. (2000) The position of phosphorylcholine on the lipopolysaccharide of *Haemophilus influenzae* affects binding and sensitivity to C-reactive protein-mediated killing. *Mol. Microbiol.*, **35**: 234-245.
16. Kaplan, M.H. and Volanakis, J.E. (1974) Interaction of C-reactive protein complexes with the complement system. I. Consumption of human complement associated with the reaction of C-reactive protein with pneumococcal C-polysaccharide and with the choline phosphatides, lecithin and sphingomyelin. *J. Immunol.*, **112**: 2135-2147.
17. Volanakis, J.E. and Kaplan, M.H. (1974) Interaction of C-reactive protein complexes with the complement system. II. Consumption of guinea-pig complement by CRP complexes: requirement for human Clq. *J. Immunol.*, **113**: 9-17.
18. Claus, D.R., Siegel, J., Petras, K., Osmand, A.P. and Gewurz, H. (1977) Interactions of C-reactive protein with the first component of human complement. *J. Immunol.*, **119**: 187-192.
19. Volanakis, J.E. (1982) Complement activation by C-reactive protein complexes. *Ann. N.Y. Acad. Sci.*, **389**: 235-250.
20. Mortensen, R.F., Osmand, A.P., Lint, T.F. and Gewurz, H. (1976) Interaction of C-reactive protein with lymphocytes and monocytes: complement-dependent adherence and phagocytosis. *J. Immunol.*, **117**: 774-781.
21. Nakayama, S., Mold, C., Gewurz, H. and Du Clos, T.W. (1982) Opsonic properties of C-reactive protein *in vivo*. *J. Immunol.*, **128**: 2435-2438.
22. Osmand, A.P., Mortensen, R.F., Siegel, J. and Gewurz, H. (1975) Interactions of C-reactive protein with the complement system. III. Complement-dependent passive hemolysis initiated by CRP. *J. Exp. Med.*, **142**: 1065-1077.
23. Finland, M. and Dowling, H.F. (1935) Cutaneous reactions and antibody response to intracutaneous injections of pneumococcus polysaccharides. *J. Immunol.*, **29**: 285-299.
24. Kushner, I. and Kaplan, M.H. (1961) Studies of acute phase protein. I. An immunohistochemical method for the localization of Cx-reactive protein in rabbits. Association with necrosis in local inflammatory lesions. *J. Exp. Med.*, **114**: 961-973.

25. Kushner, I., Rakita, L. and Kaplan, M.H. (1963) Studies of acute phase protein. II. Localization of Cx-reactive protein in heart in induced myocardial infarction in rabbits. *J. Clin. Invest.*, **42**: 286-292.
26. Gitlin, J.D., Gitlin, J.I. and Gitlin, D. (1977) Localisation of C-reactive protein in synovium of patients with rheumatoid arthritis. *Arthritis Rheum.*, **20**: 1491-1499.
27. Du Clos, T.W., Mold, C., Paterson, P.Y., Alroy, J. and Gewurz, H. (1981) Localization of C-reactive protein in inflammatory lesions of experimental allergic encephalomyelitis. *Clin. Exp. Immunol.*, **43**: 565-573.
28. Lagrand, W.K., Niessen, H.W.M., Wolbink, G.-J., Jaspars, L.H., Visser, C.A., Verheugt, F.W.A., Meijer, C.J.L.M. and Hack, C.E. (1997) C-reactive protein colocalizes with complement in human hearts during acute myocardial infarction. *Circulation*, **95**: 97-103.
29. Torzewski, J., Torzewski, M., Bowyer, D.E., Fröhlich, M., Koenig, W., Waltenberger, J., Fitzsimmons, C. and Hombach, V. (1998) C-reactive protein frequently colocalizes with the terminal complement complex in the intima of early atherosclerotic lesions of human coronary arteries. *Arterioscler. Thromb. Vasc. Biol.*, **18**: 1386-1392.
30. Wolbink, G.-J., Bossink, A.W.J., Groeneveld, A.B.J., de Groot, M.C.M., Thijs, L.G. and Hack, C.E. (1998) Complement activation in patients with sepsis is in part mediated by C-reactive protein. *J. Infect. Dis.*, **177**: 81-87.
31. Vigushin, D.M., Pepys, M.B. and Hawkins, P.N. (1993) Metabolic and scintigraphic studies of radioiodinated human C-reactive protein in health and disease. *J. Clin. Invest.*, **91**: 1351-1357.
32. Kew, R.R., Hyers, T.M. and Webster, R.O. (1990) Human C-reactive protein inhibits neutrophil chemotaxis *in vitro*: possible implications for the adult respiratory distress syndrome. *J. Lab. Clin. Med.*, **115**: 339-345.
33. Heuertz, R.M., Xia, D., Samols, D. and Webster, R.O. (1992) Transgenic mice expressing plasma rabbit C-reactive protein exhibit diminished vascular permeability and neutrophil infiltration in C5a-induced alveolitis. *FASEB J.*, **6**: 1064 (abstract).
34. Mold, C. and Gewurz, H. (1980) Activation of the alternative pathway by liposomes: inhibitory effect of C-reactive protein. *Fed. Proc.*, **39**: 702.
35. Mold, C. and Gewurz, H. (1981) Inhibitory effect of C-reactive protein on alternative C pathway activation by liposomes and *Streptococcus pneumoniae*. *J. Immunol.*, **127**: 2089-2092.
36. Gershov, D., Kim, S., Brot, N. and Elkon, K.B. (2000) C-reactive protein binds to apoptotic cells, protects the cells from assembly of the terminal complement components, and sustains an antiinflammatory innate immune response: implications for systemic autoimmunity. *J. Exp. Med.*, **192**: 1353-1363.
37. Shine, B., de Beer, F.C. and Pepys, M.B. (1981) Solid phase radioimmunoassays for C-reactive protein. *Clin. Chim. Acta*, **117**: 13-23.

38. Hutchinson, W.L., Koenig, W., Fröhlich, M., Sund, M., Lowe, G.D.O. and Pepys, M.B. (2000) Immunoradiometric assay of circulating C-reactive protein: age-related values in the adult general population. *Clin. Chem.*, **46**: 934-938.
39. Liuzzo, G., Biasucci, L.M., Gallimore, J.R., Grillo, R.L., Rebuzzi, A.G., Pepys, M.B. and Maseri, A. (1994) The prognostic value of C-reactive protein and serum amyloid A protein in severe unstable angina. *N. Engl. J. Med.*, **331**: 417-424.
40. Kuller, L.H., Tracy, R.P., Shaten, J. and Meilahn, E.N. (1996) Relation of C-reactive protein and coronary heart-disease in the MRFIT nested case control study. *Am. J. Epidemiol.*, **144**: 537-547.
41. Haverkate, F., Thompson, S.G., Pyke, S.D.M., Gallimore, J.R. and Pepys, M.B. (1997) Production of C-reactive protein and risk of coronary events in stable and unstable angina. *Lancet*, **349**: 462-466.
42. Ridker, P.M., Cushman, M., Stampfer, M.J., Tracy, R.P. and Hennekens, C.H. (1997) Inflammation, aspirin, and the risk of cardiovascular disease in apparently healthy men. *N. Engl. J. Med.*, **336**: 973-979.
43. Ridker, P.M., Cushman, M., Stampfer, M.J., Tracy, R.P. and Hennekens, C.H. (1998) Plasma concentration of C-reactive protein and risk of developing peripheral vascular disease. *Circulation*, **97**: 425-428.
44. Ridker, P.M., Buring, J.E., Shih, J., Matias, M. and Hennekens, C.H. (1998) Prospective study of C-reactive protein and the risk of future cardiovascular events among apparently healthy women. *Circulation*, **98**: 731-733.
45. Ridker, P.M. (1998) C-reactive protein and risks of future myocardial infarction and thrombotic stroke. *Eur. Heart J.*, **19**: 1-3.
46. Danesh, J., Collins, R., Appleby, P. and Peto, R. (1998) Association of fibrinogen, C-reactive protein, albumin, or leukocyte count with coronary heart disease. *J. Am. Coll. Cardiol.*, **279**: 1477-1482.
47. Koenig, W., Sund, M., Fröhlich, M., Fischer, H.-G., Löwel, H., Döring, A., Hutchinson, W.L. and Pepys, M.B. (1999) C-reactive protein, a sensitive marker of inflammation, predicts future risk of coronary heart disease in initially healthy middle-aged men. Results from the MONICA (Monitoring Trends and Determinants in Cardiovascular Disease) Augsburg Cohort Study 1984 to 1992. *Circulation*, **99**: 237-242.
48. Danesh, J., Whincup, P., Walker, M., Lennon, L., Thomson, A., Appleby, P., Gallimore, J.R. and Pepys, M.B. (2000) Low-grade inflammation and coronary heart disease: new prospective studies and updated meta-analyses. *B.M.J.*, **321**: 199-204.
49. Zhang, Y.X., Cliff, W.J., Schoefl, G.I. and Higgins, G. (1999) Coronary C-reactive protein distribution: its relation to development of atherosclerosis. *Atherosclerosis*, **145**: 375-379.

50. Bhakdi, S., Torzewski, M., Klouche, M. and Hemmes, M. (1999) Complement and atherogenesis. Binding of CRP to degraded, nonoxidized LDL enhances complement activation. *Arterioscler. Thromb. Vasc. Biol.*, **19**: 2348-2354.
51. Cermak, J., Key, N.S., Bach, R.R., Balla, J., Jacob, H.S. and Vercellotti, G.M. (1993) C-reactive protein induces human peripheral blood monocytes to synthesize tissue factor. *Blood*, **82**: 513-520.
52. de Beer, F.C., Hind, C.R.K., Fox, K.M., Allan, R., Maseri, A. and Pepys, M.B. (1982) Measurement of serum C-reactive protein concentration in myocardial ischaemia and infarction. *Br. Heart J.*, **47**: 239-243.
53. Ueda, S., Ikeda, U., Yamamoto, K., Takahashi, M., Nishinaga, M., Nago, N. and Shimada, K. (1996) C-reactive protein as a predictor of cardiac rupture after acute myocardial infarction. *Am. Heart J.*, **131**: 857-860.
54. Pietilä, K.O., Harmoinen, A.P., Jokiniitty, J. and Pasternack, A.I. (1996) Serum C-reactive protein concentration in acute myocardial infarction and its relationship to mortality during 24 months of follow-up in patients under thrombolytic treatment. *Eur. Heart J.*, **17**: 1345-1349.
55. Morrow, D.A., Rifai, N., Antman, E.M., Weiner, D.L., McCabe, C.H., Cannon, C.P. and Braunwald, E. (1998) C-reactive protein is a potent predictor of mortality independently of and in combination with troponin T in acute coronary syndromes: a TIMI 11A substudy. Thrombolysis in myocardial infarction. *J. Am. Coll. Cardiol.*, **31**: 1460-1465.
56. Tommasi, S., Carluccio, E., Bentivoglio, M., Buccolieri, M., Mariotti, M., Politano, M. and Coreia, L. (1999) C-reactive protein as a marker for cardiac ischemic events in the year after a first, uncomplicated myocardial infarction. *Am. J. Cardiol.*, **83**: 1595-1599.
57. de Winter, R.J., Bholasingh, R., Lijmer, J.G., Koster, R.W., Gorgels, J.P.M.C., Schouten, Y., Hoek, F.J. and Sanders, G.T. (1999) Independent prognostic value of C-reactive protein and troponin I in patients with unstable angina or non-Q-wave myocardial infarction. *Cardiovasc. Res.*, **42**: 240-245.
58. Nikfardjam, M., Müllner, M., Schreiber, W., Oschatz, E., Exner, M., Domanovits, H., Laggner, A.N. and Huber, K. (2000) The association between C-reactive protein on admission and mortality in patients with acute myocardial infarction. *J. Intern. Med.*, **247**: 341-345.
59. Beranek, J.T. (1997) C-reactive protein and complement in myocardial infarction and postinfarction heart failure. *Eur. Heart J.*, **18**: 1834-1835.
60. Beranek, J.T. (1998) C-reactive protein in postinfarction heart rupture. *Am. Heart J.*, **136**: 563-564.
61. van Leeuwen, M.A., van Rijswijk, M.H., Sluiter, W.J., van Riel, P.L.C.M., Kuper, I.H., van de Putte, L.B.A., Pepys, M.B. and Limburg, P.C. (1997) Individual relationship between progression of radiological damage and the acute phase response in early rheumatoid arthritis. Towards development of a decision support system. *J. Rheumatol.*, **24**: 20-27.

62. Boralessa, H., de Beer, F.C., Manchie, A., Whitwam, J.G. and Pepys, M.B. (1986) C-reactive protein in patients undergoing cardiac surgery. *Anaesthesia*, **41**: 11-15.
63. Shrive, A.K., Cheetham, G.M.T., Holden, D., Myles, D.A.A., Turnell, W.G., Volanakis, J.E., Pepys, M.B., Bloomer, A.C. and Greenhough, T.J. (1996) Three-dimensional structure of human C-reactive protein. *Nature Struct. Biology*, **3**: 346-354.
64. Thompson, D., Pepys, M.B. and Wood, S.P. (1999) The physiological structure of human C-reactive protein and its complex with phosphocholine. *Structure*, **7**: 169-177.
65. Griselli, M., Herbert, J., Hutchinson, W.L., Taylor, K.M., Sohail, M., Krausz, T. and Pepys, M.B. (1999) C-reactive protein and complement are important mediators of tissue damage in acute myocardial infarction. *J. Exp. Med.*, **190**: 1733-1739.
66. Bhakdi, S., Dorweiler, B., Kirchmann, R., Torzewski, J., Weise, E., Trantum-Jensen, J., Walev, I. and Wieland, E. (1995) On the pathogenesis of atherosclerosis: enzymatic transformation of human low density lipoprotein to an atherogenic moiety. *J. Exp. Med.*, **182**: 1959-1971.
67. Hawkins, P.N., Tennent, G.A., Woo, P. and Pepys, M.B. (1991) Studies *in vivo* and *in vitro* of serum amyloid P component in normals and in a patient with AA amyloidosis. *Clin. Exp. Immunol.*, **84**: 308-316.
68. Hawkins, P.N., Wootton, R. and Pepys, M.B. (1990) Metabolic studies of radioiodinated serum amyloid P component in normal subjects and patients with systemic amyloidosis. *J. Clin. Invest.*, **86**: 1862-1869.
69. de Beer, F.C., Baltz, M.L., Munn, E.A., Feinstein, A., Taylor, J., Bruton, C., Clamp, J.R. and Pepys, M.B. (1982) Isolation and characterisation of C-reactive protein and serum amyloid P component in the rat. *Immunology*, **45**: 55-70.
70. Pepys, M.B., Tompkins, C. and Smith, A.D. (1979) An improved method for the isolation from *Naja naja* venom of cobra factor (CoF) free of phospholipase A. *J. Immunol. Methods*, **30**: 105-117.
71. Nelson, S.R., Tennent, G.A., Sethi, D., Gower, P.E., Ballardie, F.W., Amatayakul-Chantler, S. and Pepys, M.B. (1991) Serum amyloid P component in chronic renal failure and dialysis. *Clin. Chim. Acta*, **200**: 191-200.
72. Pepys, M.B. (1975) Studies *in vivo* of cobra factor and murine C3. *Immunology*, **28**: 369-377.
73. Pepys, M.B., Dash, A.C., Fletcher, T.C., Richardson, N., Munn, E.A. and Feinstein, A. (1978) Analogues in other mammals and in fish of human plasma proteins C-reactive protein and amyloid P component. *Nature*, **273**: 168-170.
74. Baltz, M.L., de Beer, F.C., Feinstein, A., Munn, E.A., Milstein, C.P., Fletcher, T.C., March, J.F., Taylor, J., Bruton, C., Clamp, J.R., Davies, A.J.S. and Pepys, M.B. (1982) Phylogenetic aspects of C-reactive protein and related proteins. *Ann. N.Y. Acad. Sci.*, **389**: 49-75.

75. Mold, C., Nakayama, S., Holzer, T.J., Gewurz, H. and Du Clos, T.W. (1981) C-reactive protein is protective against *Streptococcus pneumoniae* infection in mice. *J. Exp. Med.*, **154**: 1703-1708.
76. Yother, J., Volanakis, J.E. and Briles, D.E. (1982) Human C-reactive protein is protective against fatal *Streptococcus pneumoniae* infection in mice. *J. Immunol.*, **128**: 2374-2376.
77. Bickerstaff, M.C.M., Botto, M., Hutchinson, W.L., Herbert, J., Tennent, G.A., Bybee, A., Mitchell, D.A., Cook, H.T., Butler, P.J.G., Walport, M.J. and Pepys, M.B. (1999) Serum amyloid P component controls chromatin degradation and prevents antinuclear autoimmunity. *Nature Med.*, **5**: 694-697.